



COMMERCIAL DISPLAY ACCESSORIES

VB-CAM-002

Key Features

- Crystal clear video quality from Full HD 1080p resolution
- All-round design for easy installation and cable management
- Complete privacy with built-in lens cover
- Compatible with Windows, Mac, Android, and Chrome OS
- Built-in stereo microphone with automatic noise reduction



Product Description

Collaborations are made easy with ViewSonic VB-CAM-002 Web Camera and its all-round stand. Elevate your hybrid classes or remote business meetings with high-definition 1080p picture quality, which makes everything feel interactive and look brilliant. Easy to install and compatible with various OS, stay connected via seamless USB Type-A connectivity and multiple web conferencing applications. The web camera also enhances your privacy settings with a built-in privacy cover, where a simple slide over the lens gives you total security and peace of mind.



1. LED light
2. Sliding cover
3. Omnidirectional microphone
4. Adjustable bracket and a forward-tilt universal clip
5. Micro USB
6. Cable management hole
7. Standard 1/4 inch tripod screw hole
8. Wall mount hole x2

Visit Us  www.viewsonic.com

OPERATING SYSTEM

Windows® 7, Windows 8.1, Windows 10 or above, macOS™ X, Linux, Android

CAMERA

Sensor: 1/2.8", CMOS, 2.07M Pixels

Field of View (FOV): 90°

Digital Noise Reduction: 2D, 3D digital noise reduction

Backlight Compensation: Support

AUDIO

Microphone: Sensitivity -30±2dB, S/N Ration 70dB

SUPPORTED VIDEO FORMAT

Color System Compression: MJPEG / YUY2 / H.264

Max. Resolution Video: 1080P@30fps/25fps,
720P@30fps/25fps,
960x540P@30fps/25fps,
640x360P@30fps/25fps

CONNECTIVITY

USB: 2.0

DIMENSIONS

Physical (W xH xD): 109 x 56 x 125 mm (4.3 x 2.2 x 4.9 inches)

Packaging (W xH x D): 480 x 255 x 580 mm (18.8 x 10 x 22.8 inches)

WEIGHT

Physical (Net): 0.19 kg / 0.4 lbs

Packaging (Gross): 0.27 kg / 0.6 lbs

REGULATIONS

Compliance Certification: CE, FCC, LVD

PACKAGE CONTENTS

1. VB-CAM-002
2. Quick start guide
3. USB 2.0 Type-A to Micro-B Cable